

## KURO Information for invitation to tender


## Product:

## **PEHD Underground – covered**

- Material: PE 100
- with composite insulation, foamed
- can be equipped with heating band
- Special dimension for pneumatic tube

## Text for Invitation to tender:

Pos:	PEHD Underground Bend (pneumatic tube system) <b>NW 90</b> with protective corrugated cover, foamed Forwarding bend PEHD 110 x 12.0 mm, R = 1000 mm, 15° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated tube 175 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble. Quantity: pc Price/Unit: Price total:
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 90</b> with protective corrugated cover, foamed Forwarding bend PEHD 110 x 12.0 mm, R = 1000 mm, 30° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 175 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.





Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 90</b> with protective corrugated cover, foamed Forwarding bend PEHD 110 x 12.0 mm, R = 1000 mm, 45° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider PEHD INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 175 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
	Quantity: pc Price/Unit: Price total:
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 90</b> with protective corrugated cover, foamed Forwarding bend PEHD 110 x 12.0 mm, R = 1000 mm, 90° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider PEHD INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 175 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble. Quantity:
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 100</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 12.5 mm, R = 1000 mm, 15° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider PEHD INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.



Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 100</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 12.5 mm, R = 1000 mm, 30° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider PEHD INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 100</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 12.5 mm, R= 1000 mm, 45° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
Pos:	PEHD Underground Bend (pneumatic tube system) <b>NW 100</b> with protective corrugated cover, foamed Forwarding Bend PEHD 125 x 12.5 mm, R= 1000 mm, 90° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.



Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 110</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 9.8 mm, R= 1000 mm, 15° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 110</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 9.8 mm, R = 1000 mm, 30° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 110</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 9.8 mm, R = 1000 mm, 45° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.



Pos:	DELID Linderground band (pnoumatic tube system) NW 440
Pos	PEHD Underground bend (pneumatic tube system) <b>NW 110</b> with protective corrugated cover, foamed Forwarding bend PEHD 125 x 9.8 mm, R = 1000 mm, 90° 100 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 135 x 20 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
	Quantity: pc Price/Unit: Price total:
Pos:	<ul> <li>PEHD Underground bend (pneumatic tube system) NW 160 with protective corrugated cover, foamed</li> <li>Forwarding bend PEHD 200 x 23.2 mm, R = 1200 mm, 15° 150 mm straight end at both ends, royal blue</li> <li>* manufactured according to DIN 6660</li> <li>* connection only with electrofusion coupler</li> <li>* consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM</li> <li>Outer tube PEHD corrugated pipe 295 x 20 x 4700 mm, black space between is filled with PU-foam</li> <li>* consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.</li> <li>Quantity: pc Price/Unit: Price total:</li> </ul>
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 160</b> with protective corrugated cover, foamed Forwarding bend PEHD 200 x 23.2 mm, r = 1200 mm, 30° 150 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 295 x 20 x 4700 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
	Quantity



Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 160</b> with protective corrugated cover, foamed Forwarding bend PEHD 200 x 23.2 mm, R= 1200 mm, 45° 150 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 295 x 20 x 4700 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.
	Quantity: pc Price/Unit: Price total:
Pos:	PEHD Underground bend (pneumatic tube system) <b>NW 160</b> with protective corrugated cover, foamed Forwarding Bend PEHD 200 x 23.2 mm, R = 1200 mm, 90° 150 mm straight end at both ends, royal blue * manufactured according to DIN 6660 * connection only with electrofusion coupler * consider INSTRUCTION SHEET PEHD-UNDERGROUND TUBE SYSTEM Outer tube PEHD corrugated pipe 295 x 20 x 4700 mm, black space between is filled with PU-foam * consider PEHD assembly instruction for Lamoltan foaming System KURO or equal (www.kuro-kunststoffe.com) deliver and assemble.

Stand 12/2023